

HX15

Wood chipper



BRUGGER

Effective wood chipping!

The Brugger HX15 chipper processes branches and logs up to a diameter of 150 mm quickly and easily into 2-4 mm wood chips.



Features:

- ✓ Log diameter up to 15 cm
- ✓ Hopper opening: 20 cm x 20 cm
- ✓ Rato 25 HP gasoline engine
- ✓ 360° rotating chip ejector

Advantages of HX15:



Hydraulic feeding!

The HX15 is equipped with two hydraulically driven retraction rollers for material feed, the speed of which can be infinitely adjusted.



Maximum safety!

The Hx15 chipper has been built to the latest safety standards.




Wheeled chassis!

The HX15 is mounted on a wheeled chassis for easy handling and transport to the place of use. The chassis is not approved for road traffic.

HX15

Wood chipper



Components:

- | | | |
|--|---|---------------------------|
| 1. Rato 25 hp gasoline engine | 7. compartment for tools and instructions | 13. Feed speed adjustment |
| 2. chassis (not approved for road use) | 8. feed rollers | 14. support wheel |
| 3. engine exhaust | 9. swiveling chip ejector | 15. trailer drawbar |
| 4. retraction control lever | 10. retractable feed hopper | |
| 5. safety bar stop | 11. hydraulic oil tank | |
| 6. emergency switch | 12. starter battery | |

Technical data:

Manufacturer: Brukker	Max. log diameter: 150 mm
Model: HX15	Feeding hopper opening: 20 x 20 cm
Power supply: Rato PS 25 gasoline engine	Diametro tamburo cippatore: 660 mm
Power: 25 HP	Chipper drum diameter: 40 mm
Displacement: 740 cc	Chassis: wheeled (not suited for road use)
Engine rotation speed: 3600 giri/min	Max. machine dimensions: 3470 x 1390 x 2280 mm
Number of knives: 2	Fuel tank: 12 L
Feeding: hydraulic	Approximate weight: 700 kg

HX15

Wood chipper

Brugger HX15 Chipper - This powerful and versatile machine with its sturdy construction and large drive force can process even the toughest lumber and was developed for **private and professional applications!**

The wood chipper is equipped with material retraction consisting of two **hydraulically powered rollers** whose speed can be continuously adjusted.

Everything from the **thickest branches to shrubs** can be shredded smoothly.

At a high forwarding speed, **the material is shredded at a 90-degree angle to the disc**, which facilitates the chipping of **thick or gnarled material**.

The Brugger HX15 chipper can be used to process branches and logs with a **maximum diameter of 150 mm**. The wood can be processed quickly and effortlessly into small wood fragments with a **size of 2-4 mm**.

The chipper is powered by a Powerful **25 HP Rato gasoline engine** and the hydraulic retraction system for The

feed can be continuously adjusted for optimal control and flexibility Due to its purely mechanical operation, the chipper requires an extremely simple maintenance and allows for easy repairs.

Despite its high performance, with a **weight of 700 kg** and its compact size, thanks to its wheeled chassis

equipped with a tow hitch it can be moved and transported quickly and easily to the place of use.

However, the wheeled chassis is not approved for use on public roads

HX15 Wood chipper

The intermediate size model on chassis in our product family is the HX15 chipper.

€ 7.998,-

All prices are VAT EXCLUDED

You can see a video of the machine in action here:

www.youtube.com/watch?v=2dz7wHtyvmM

For further informations on the machine:

www.bruggermachinery.com.



Scan the QR CODE and watch the video!





BRUGGER
Machinery GmbH

BRUGGER
Log grip Grip 130



BRUGGER
Automatic log cutter and splitter SA 48 Pro

WIDE RANGE OF MACHINES FOR THE TOUGHEST CHALLENGES.

Discover our wide range of powerful forestry and log processing machines at:
www.bruggermachinery.com.

Take advantage of our range now!

www.bruggermachinery.com



BRUGGER

Machinery GmbH



Contact us for a
customised quote!
**Call us to request an
offer!**

Passion for wood chipper

BRUGGER

Brugger Machinery

Bacherweg 11
39030 Gais BZ Italien

Tele: +39 327 397 0120
Mail: info@bruggermachinery.com
Web: www.bruggermachinery.com

The information in this brochure contains information and content that are protected by law.



Version: 1.0 | EN

www.bruggermachinery.com

