



## ER412T QUOTATION SHEET

TO:

PLACE OF DELIVERY: Kaltbrunn

WARRANTY: 1 Year

PACKING WAY: 3 Units in 1\*40HQ ,1 Units in 1\*20GP Container

TERMS OF PAYMENT: 100% paid by T/T.

| MODEL  | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                    | U-P<br>(FOB Kaltbrunn)                   | QTY | AMOUNT |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-----|--------|
| ER412T | Standard Bucket, <b>New Rops &amp; Fops Cabin,New Engine Hood, New Frame, Articulated Floating Oscillating Structure,</b> Luxury Cabin Interior,Euroiii Engine Xinchai490(4 cylinders), E-Mark Seat, Adjustable Steering Wheel, Floating function,130W Heater, 220V Engine Heater, Lock for Lifting and Steering Cylinder, Back Imagine, Mechanical Joystick, Disc-Brake, Hydraulic-pressure Check System, Blinking Lamp without Key, Parallel Linkage System. | 28100.00<br>Alles in CHF.<br>inkl. MwSt. | 1   |        |

Picture I

Picture II





## Optional Equipments:

|                                                  |        |                               |         |
|--------------------------------------------------|--------|-------------------------------|---------|
| Quick hitch                                      | 535.00 | Varta Anti-Freeze Battery     | 120.00  |
| Electric Joystick                                | 675.00 | Loader Damper                 | 305.00  |
| E4 Lamp                                          | 175.00 | Centralization Lubrication    | 1800.00 |
| LED Working Light                                | 175.00 | Bobcat Quick Hitch            | 605.00  |
| LED Alarm Light                                  | 30.00  | Euro Quick Hitch              | 605.00  |
| Extra Hydraulic Line                             | 165.00 | Trima Quick Hitch             | 525.00  |
| Trailer Ball                                     | 60.00  | Extra Heater                  | 60.00   |
| Multi-functions Electric Joystick with 5 buttons | 410.00 | Extra Oil Cooler              | 385.00  |
| Multi-functions Electric with 4 buttons          | 410.00 | Air Seat(with Air Pump)       | 410.00  |
| Rear Hydraulic Line                              | 525.00 | Crane Valve                   | 200.00  |
| Extra Electric Line                              | 20.00  | Diesel Heater                 | 305.00  |
| Rear Sand Spreader Oil Line + Left Joystick      | 525.00 | Tyre Chains                   | 290.00  |
| 3 Point Hitch                                    | 535.00 | Without Cabin with Roller Bar | -300.00 |
| Air Conditioner                                  | 605.00 |                               |         |

## Optional Tires & Engine

|                               |        |                               |         |
|-------------------------------|--------|-------------------------------|---------|
| 17.5-25 Tires                 | 535.00 | Kohler 1903TCR Engine(Tier4)  | 7780.00 |
| 31*15.5-15 Agricultural Tires | 560.00 | Cummins QSF2.8 Engine(Tire4)  | 7880.00 |
| 14-17.5 Tubeless Tires        | 650.00 | 16/55-17 Tubeles Winter Tiere | 1000.00 |
| 400/60-15.5 Tires             | 140.00 | Xinchai 3E22 Engine (Euro5)   | 4060.00 |
| 33*15.5-16.5 Grass Tires      | 870.00 | Yunnei YN4K054-30CR(Euro5)    | 3500.00 |

## Attachments:

|                         |         |                         |         |
|-------------------------|---------|-------------------------|---------|
| Pallet Forks            | 980.00  | Salt Spreader           | 1400.00 |
| Adjustable Pallet Forks | 1280.00 | V-Snow Blade            | 1700.00 |
| Grapple Forks           | 1360.00 | Snow Blade With Wings   | 2250.00 |
| European Grapple Forks  | 1600.00 | Crops Blade             | 1350.00 |
| Wooden Forks            | 1400.00 | Bale Grab               | 1200.00 |
| 360 Degree Wooden Forks | 2400.00 | Drum Folder             | 1000.00 |
| Manure Forks            | 700.00  | Sweeper                 | 2000.00 |
| Grapple Bucket          | 1530.00 | Sweeper With Collector  | 2100.00 |
| 4 In 1 Bucket           | 1440.00 | Sweeper With Water Tank | 2700.00 |
| Light Bucket            | 1230.00 | Auger(400Mm)            | 1900.00 |
| Snow Bucket             | 1100.00 | Hummer                  | 2700.00 |



|                               |         |                             |         |
|-------------------------------|---------|-----------------------------|---------|
| <b>Snow Bucket With Wings</b> | 1680.00 | <b>Flail Mower</b>          | 1800.00 |
| <b>Mixer Bucket</b>           | 1600.00 | <b>Cutter Head</b>          | 1300.00 |
| <b>Rock Bucket</b>            | 1500.00 | <b>Digger</b>               | 1400.00 |
| <b>Snow Blade</b>             | 1500.00 | <b>Digger With Thumb</b>    | 1450.00 |
| <b>Crops Bucket(1.6m3)</b>    | 1500.00 | <b>Hydraulic JIB</b>        | 1350.00 |
| <b>High-Dumping Bucket</b>    | 1500.00 | <b>JIB</b>                  | 1100.00 |
| <b>Tilting Bucket</b>         | 1500.00 | <b>Hay Forks(One Fork)</b>  | 830.00  |
| <b>Sand Spreader(Front)</b>   | 1800.00 | <b>Hay Forks(Two Forks)</b> | 900.00  |
| <b>Salt Spreader</b>          | 1400.00 | <b>Double-Blade Bucket</b>  | 1100.00 |
| <b>Sand Spreader(Rear)</b>    | 2000.00 |                             |         |

## Specifications:

|                                             |                                                           |
|---------------------------------------------|-----------------------------------------------------------|
| <b>1.0 Engine Details</b>                   |                                                           |
| <b>(1) Model:</b>                           | C490BPG Engine(Euroiii and EPA Certificate)               |
| <b>(2) Engine Type:</b>                     | In-line arrangement,water-cooled,four-cycle diesel engine |
| <b>(3) Rated Power:</b>                     | 36.8 KW                                                   |
| <b>(4) Rated Speed:</b>                     | 2650r/min(rpm)                                            |
| <b>(5) Min fuel-consume ratio</b>           | ≤230g/kw.h                                                |
| <b>2.0 Transmission System</b>              |                                                           |
| <b>(1) Type:</b>                            | Fixed-spindle power shift                                 |
| <b>(2) Shift gear control oil pressure</b>  | 1.2-1.5 MPa                                               |
| <b>(3) Rated input speed:</b>               | 2650(rpm)                                                 |
| <b>3.0 Bucket</b>                           |                                                           |
| <b>(1) Bucket capacity:</b>                 | 0.53m3                                                    |
| <b>(2) Bucket Width:</b>                    | 1740mm                                                    |
| <b>(3) Bucket type:</b>                     | Heavy-duty bolt on teeth                                  |
| <b>(4) Rated load:</b>                      | 1200kg                                                    |
| <b>(6) Operating Weight</b>                 | 4000kg                                                    |
| <b>4.0 Overall Dimensions</b>               |                                                           |
| <b>(1) Overall length(bucket on ground)</b> | 5234mm                                                    |
| <b>(2) Ground to cab top:</b>               | 2535mm                                                    |
| <b>(3) Overall width</b>                    | 1850mm                                                    |
| <b>(4) Dumping height:</b>                  | 2487mm                                                    |
| <b>(7) Dumping Reach:</b>                   | 858mm                                                     |
| <b>(6) Min.base to the ground</b>           | 443mm                                                     |
| <b>5.0 Operating Specifications</b>         |                                                           |
| <b>(1) Steering system:</b>                 | Articulated frame with hydraulic power steering           |
| <b>(2) Min.turning radius:</b>              | 4389mm                                                    |
| <b>(3) Driving system:</b>                  | Hydraulic converter                                       |



---

#### 6.0 Brake System

---

##### (1) Service Brake

Four wheel hydraulic spread-shoed brake

---

##### (2) Parking Brake

Hand operated

---

#### 7.0 Tyre

20.5/70-16

---

