



EREL05 QUOTATION SHEET

TO:

PLACE OF DELIVERY: Kaltbrunn

WARRANTY: 1 Year(since the date that buyer receive the machine) (Lasko Kaltbrunn)

PACKING WAY: 10 Units in 1*40HQ Container

TERMS OF PAYMENT: 100% paid by T/T

MODEL	DESCRIPTION		QTY	AMOUNT
EREL05	EREL05 Electric Wheel Loader With Standard Bucket, Quick Hitch, Maintenance-Free 100A DC Batteries, Electric Joystick , 6.00-12 Tyres, Free Service Spare Parts.	Alle Preise Inkl. MwSt. in CHF.	1	13'500.00

Picture I

Picture II



Options & Attachments :

23*8.5-12 Agricultural Tyre	270.00	Change to 120Ah DC system	235.00
23*8.5-12 grass tyre	270.00	Change to 150Ah DC system	470.00
		Change to 120Ah AC system	470.00
Tyre Chain	150.00	Change to 150Ah AC system	705.00
Change 110v Plus Inverter nur USA	45.00	Bobcat Quick Hitch	100.00



Attachments:

Trailer Ball	75.00	1.2 Meter Bucket	790.00
Hay Forks	580.00	Drum Clamp	980.00
Grapple Forks	990.00	Wooden Forks	1100.00
Bale Grab	990.00	Snow Bucket	790.00
European Grapple Forks	1190.00	Rock Bucket	1110.00
Pallet Forks	590.00	Slasher	1890.00
Snow Blade	1005.00	Grapple Bucket	1200.00
4 -1 Bucket	1125.00	Sweeper with Collector	2150.00 '??

Specifications:

Performance:	
Rated Load	500kg
Bucket Rated Capacity	0.2m3
Dumping Height at 40°	1300mm
Lifting Height	2100mm
Dumping Reach	550mm
Max. Lifting Weight	500kg
Max. Excavation Force	8KN
Max. Grade Ability	15
Max. Turning Angle	25° ± 1
Rear Axle Swing Degree	3°
Dimensions & Weight:	
Overall Length	2836mm (Bucket on ground position)
Bucket Width (overall)	900mm
Overall Height	2110mm
Wheel Base	1385mm
Min. Ground Clearance	300mm
Net Weight	900kg



Battery:	
Battery Model	No.6-EVF-100A (OR 120 AH OR 150AH)
Rated Capacity	(3hr) 100Ah
No. Of Batteries	5
Rated Voltage	60v
Working Hours	4HRS
Transmission System:	DC or AC
Hydraulic System	
Motor Type	HL-60
Voltage	60v
Power	1500w
Displacement	14ml/r
Steering System:	
Full Hydraulic Steering System	
External Gear Pump	1pc
Steering Cylinder Bore	50mm
System Pressure	16mpa
Braking System:	
Service Brake	Drum Brake
Brake Drum	200mm
Parking break	Drum Brake
Distribution Valve Model	DL10 Type - Triple valve system
Dumping Cylinder Bore	Ø50
Lifting Cylinder Bore	Ø50
Tyres:	
Type 6.00 -12	
Working Pressure	0.025Mpa
Qty	4
Oil Capacity:	
Hydraulic Oil Tank	11L
Brake Fluid	0.8L