



EREL10 QUOTATION SHEET

TO:

PLACE OF DELIVERY: Kaltbrunn

WARRANTY: 1 Year(since the date that buyer receive the machine)

PACKING WAY: 7 Units in 1*40HQ Container

TERMS OF PAYMENT: 100% paid by T/T..

Für 800.- kann man Zusätzlich eine zwei Jahresgarantie dazu kaufen.

MODEL	DESCRIPTION	U-P (FOB Kaltbrunn)	QTY	AMOUNT
EREL10	EREL10 Electric Wheel Loader With Standard Bucket, Quick Hitch, Electric Joystick, Extra Hydraulic Line, 72V/200Ah Battery, 29*12.5-15 Tires, Free Service Spare Parts.	25000.00 Alles in CHF. Inkl. MwSt.	1	

Picture I

Picture II



Options & Attachments :

Closed Cabin	1600.00	3 Point Hitch	525.00
E4 Lamp	175.00	Loader Damper	305.00
Led Working Light	175.00	Bobcat Quick Hitch	75.00
LED Alarm Light	30.00	Tyre Chains	150.00
Trailer Ball	60.00	31*15.5-15 grass tyres	270.00
Euro Quick Hitch	0.00		



Attachments:

Crops Blade	1250.00	Mixer Bucket	1450.00
Hay Forks	770.00	Sweeper	2000.00
Grapple Forks	1230.00	Wooden Forks	1300.00
Bale Grab	1400.00	Snow Bucket	1000.00
European Grapple Forks	1230.00	Rock Bucket	1130.00
Pallet Forks	700.00		
Snow Blade	1280.00	Grapple Bucket	1330.00
4 -1 Bucket	1300.00	Digger	1400.00

Specifications:

Performance	Rated Load (kg)	1000
	Bucket rated capacity (m) ³	0.26
	Dumping height (mm)	1821
	Lifting Height (mm)	3120
	Dumping Reach (mm)	829
	Maximum breakout force (kN)	13
	Max. Grade ability	20
	Minimum turning radius (outside of wheels)(mm)	2466
	Oscillation angle	8°
Dimensions. &.Weight	Overall dimension (L×W×H) (mm)	3672*1270*2380
	Bucket width (overall width)	1200
	Wheel base (mm)	960
	Min Ground Clearance (mm)	210
	Net Weight (kg)	2150
Battery	Battery Model No.	3-EVF-200A
	Rated capacity (3hr)	200Ah
	No.of battery groups	12
	Rated Voltage	72
	Working hours (h)	4h



Transmission System	Hydraulic System	Motor No.	YQP5.72AF.48P
		Voltage	72V
		Power	5000W
		Displacement (ml/r)	14
	Tyres	Type	29*12.50-15
		Working pressure (mpa)	0.3
Qty		4	
Steering System	Type of Steering Hydraulic System	Full Hydraulic Steering System	
	System Pressure (mpa)	16	
	Type of Steering Pump	External Gear Pump	
	Steering Cylinder Bore (mm)	Ø65	
	Qty (pc)	1	
Braking System	Service Brake	Drum Brake	
	Brake Drum (mm)	240	
	Parking Brake	Drum Brake	
Oil Capacity	Hydraulic Oil Tank (L)	40	
	Brake Fluid (L)	0.8	